

## Rural & Industrial Sheds

**Custom Designed | Custom Engineered | Quality Tested** 

### **About Stratco**

With over 75 years of experience in the steel manufacturing industry, 100% Australian owned, Stratco is dedicated to providing high-quality, reliable products. Our commitment





## Stratco Shed Range With A Design To Suit Every Need

### Barns & Stables

Page 6



#### Farm & Machinery Sheds

Page 8



#### Industrial Sheds

Page 10



#### Studios & Liveable Sheds

Page 14



# Stratco Rural & Industrial Sheds

### From Stables to Industrial Storage, Our Working Class Sheds are Big and Built to Last.

- Big sheds for big storage needs. Stratco Rural and Industrial Sheds are strong, high quality, well engineered and built to last, offering storage and protection for many years to come.
- Customise your shed with open bays, closed bays, internal walls, sliding doors, roller doors or clear openings. Our engineers can tailor a farm or commercial shed to meet your exact requirements.

#### **Sheds to Suit Your Needs**

- Commercial Buildings
- Dairy Sheds
- Farm Sheds
- Garaports
- Hay Sheds
- Horse Stables
- Machinery Sheds
- Open Front Sheds
- Pump Sheds
- Rural Barns
- Shearing Sheds
- Workshop Sheds

Proud supplier of:







# **Sheds That Are Built To Last**

Built for Australian conditions, our Rural and Industrial Sheds combine durability with smart design. Galvanised C-section beams form a solid frame, while high-tensile bolted brackets at the eaves and ridge lock everything together for a tough, seamless structure.

The roofing is finished with COLORBOND® steel for long-lasting protection, and every shed comes complete with gutters and downpipes as standard. For the walls, you can choose the bold look of COLORBOND® steel Superdek® sheeting with its 28mm ribs, or keep it classic with 16mm corrugated sheeting.

The result is a shed that looks great, stands up to the elements, and gives you confidence it will perform year after year.



Your barn or shed is more than a shelter, it's a backbone for your productivity. Stratco designs and engineers a shed that considers your land, wind loads and usage, delivering durable structures built to last. Equine and livestock fit outs are designed for comfort and safety, to support animal welfare and performance. Built with premium Australian steel, the result is a low-maintenance asset that improves efficiency and holds value.





**Hay Shed – Open Gable End** 

9.2m x 18.3m x 4.0m

168.4m<sup>2</sup>



**Horse Stable** 

8.4m x 20.1m x 3.3m

168.8m<sup>2</sup>



**Horse Stable** 

8.4m x 20.1m x 3.3m

168.8m<sup>2</sup>



Implement / Hay Shed - Open Gutter Side

13.8m x 23.1m x 4.2m

318.8m<sup>2</sup>



Rural Shed – 4 Roller Doors

9.2m x 24.1m x 3.6m

221.7m<sup>2</sup>



**Equipment Shed – 5 Roller Doors** 

11.5m x 28.1m x 3.0m

323.2m<sup>2</sup>



Workshop - Roller Door Gable End

9.2m x 18.3m x 4.0m

168.4m<sup>2</sup>



Horse Stable / Barn - Sliding Doors

14.6m x 22.6m x 3.6m

330.0m<sup>2</sup>

# Farm & Machinery Sheds

#### **Smart, Strong, Site Specific Sheds**

Stratco Farm Sheds are built for the land you work. Every shed is site-specific, engineered to your wind region, terrain, and climate to meet Australian Standards. Choose from a range of wide clear spans and generous heights to suit your machinery and storage needs. With Australian-made, COLORBOND® steel cladding, and heavy-duty frames, your shed is strong, durable, and low maintenance. Add roller or sliding doors, open bays, skylights, or ventilation and create a functional space that works as hard as you do.



#### Triple – Roller Doors Gutter Side

15.4m x 21.4m x 5.0m

329.6m<sup>2</sup>



Single - Roller Door Gable End

9.2m x 18.3m x 4.0m

168.4m<sup>2</sup>



#### Open Gable - No Walls

9.2m x 15.3m x 3.6m

140.8m<sup>2</sup>



#### **Open Gable Ends**

10.8m x 15.3m x 4.2m

165.2m<sup>2</sup>



#### **Open Gable Ends**

15.3m x 30.5m x 5.0m

466.7m<sup>2</sup>



#### **Open Sided Access**

9.2m x 24.0m x 4.2m

220.8m<sup>2</sup>



#### **Double Gable**

30.8m x 24.4m x 5.0m

751.5m<sup>2</sup>



#### **Triple Gable**

46.2m x 24.4m x 5.0m

1127.3m<sup>2</sup>





**Skillion Storage** 

7.7m x 9.3m x 3.6m (High Side)

71.6m<sup>2</sup>



**Triple Roller Doors** 

7.7m x 15.3m x 3.6m

117.8m<sup>2</sup>



**Implement Shed** 

9.2m x 18.3m x 4.0m

168.4m<sup>2</sup>



**Storage Shed – Gutter Side Roller Door** 

12.3m x 30.5m x 4.2m

375.2m<sup>2</sup>



Triple Roller Doors – Wide Bays

15.4m x 24.4m x 5.0m

375.8m<sup>2</sup>




**Bus Shelter & Workshop** 

18.0m x 40.0m x 5.0m

 $720.0m^{2}$ 








## Flexible Shed Sizes & Spans

#### Rural and Industrial Sheds are available in widths up to 15.35m as standard.

Unlimited lengths are available in bay sizes up to a maximum of 5.0m for wider openings. Standard wall heights range from 2.4m, up to 4.2m for higher openings or door clearances. Other non-standard options are available on request.

- Non-Standard widths up to 21.0m wide
- Five standard heights of 2.4m, 2.7m, 3.0m, 3.6m, and 4.2m
- Non-Standard heights up to 6.0m high are also available



## **Shed Optional Extras**

Stratco Sheds come with a wide range of optional extras including windows, skylights and single or double personal access doors, insulation and ventilation.

- Attached Patios
- Garaports
- Insulated Cooldek® Roof Panels
- Internal Box Gutters
- Remote Controlled Roller Door Openers
- Single or Double Personal Access Doors
- Skylights

- Spinning Ventilators
- Wall Ventilation Louvres
- Louvre or Sliding Windows
- Roof and Wall Insulation
- Fire Rated Walls
- BAL Rating Solutions Available
- Safety Mesh





**Gable Stubbie Studio** 

3.16m x 3.16m x 2.4m

10.0m<sup>2</sup>



**Skillion Stubbie Studio** 

3.16m x 3.16m x 2.4m (Low Side)

10.0m<sup>2</sup>



Single Gable Studio

3.92m x 6.21m x 2.4m

24.3m<sup>2</sup>



Single Gable Studio - Stepped Facade

5.45m x 6.21m x 2.4m

33.8m<sup>2</sup>



**Double Gable Studio – Stepped Facade** 

5.45m x 9.26m x 5.0m

50.5m<sup>2</sup>



**Double Gable Studio – With Garage** 

5.45m x 9.26m x 5.0m – House 5.45m x 6.21m x 2.4m – Garage 50.5m<sup>2</sup> 33.8m<sup>2</sup>







# **Bring Your Design To Life**With Stratco ARchitect™

Stratco ARchitect™ uses Augmented Reality (AR) to turn your shed into an immersive, real-world 3D preview from your smartphone or tablet.

Stratco ARchitect™ eliminates the guesswork previewing your design insitu.

#### What do you need?

All you need is your quote, your design and a smart device to get you started, or you are welcome to try some of our favourite designs to see how Stratco ARchitect™ will work for you.

**Instant access:** Simply scan a QR code from your quote to launch Stratco ARchitect™, no downloads required.

View designs in real life: Simply project your shed design exactly where you want to build it.

Explore every angle: Walk around, under, and through your design in real time, seeing how it fits into your space from every perspective.

Colours: See and experience the colours. You can make changes via Stratco and try again.

**Enhanced planning tools:** Get smarter about layout decisions, park vehicles and equipment in place and see how the shed works using the Stratco ARchitect™ tool.

#### Find out how Stratco ARchitect™ can bring your design to life.





# Design, Quote & Build With Stratco

From the first idea to finished shed, Stratco guides you through step by step.



#### **Shed Design & Quotation**

Bring your ideas, a rough sketch or dimensions to our Stratco team and they will bring your dreams to life. We can check and review dimensions using satellite imagery before designing and preparing a quotation for you.



#### **Planning and Certifications**

Stratco can arrange the relevant paperwork, specifications and engineering ready for the council, building surveyor or certification process depending on what state or territory you reside. We can assist and guide you through this process.



#### **Shed Installation**

You can choose to DIY or Stratco can assist with installation and connect you with a recommended installer before confirming an installation date.



#### **Site Preparation**

Site preparation for your shed is key. Some important things to consider are:

- 1. The site needs to be cleared and level. If the ground is uneven or sloped, ensure that the slope height difference does not exceed 150mm.
- 2. Understanding the soil type is important as it will affect footing sizes.
- 3. Footings and Concrete Slabs you can either:
  - (a) Pour concrete first with footings pinned on-to-concrete or alternatively
  - (b) Columns can be fixed in-ground with the concrete slab poured later.



#### **Shed Delivery**

We will manufacture your shed in one of our local manufacturing sites in your state or territory and then deliver the shed to site ready for installation.



### **Shed Warranty**

Stratco is proud to support its Sheds and Garages range with a comprehensive **25 Year Structural**, **10 Year Paint Finish** and **10 Year Life Prior To Perforation Warranty**. Our warranty gives you piece of mind that when purchasing a Stratco Shed and Garage you are buying a quality product supported by one of the largest steel manufacturing companies in Australia.

#### **Structural Integrity**

Our entire range of Stratco Sheds and Garages has been independently tested to meet all relevant Australian Building Standards and Building Code of Australia to give you the confidence that a Stratco Shed will stand the test of time.

- AS/NZS 1170.0 Structural Design Actions Part 0: General Principles
- AS/NZS 1170.1 Structural Design Actions Part 1: Permanent, imposed and other actions
- AS 4100 Steel structures
- AS/NZS 4600 Cold-formed steel structures
- AS 3600 Concrete structures
- AS 4055 Wind Loads for Housing
- AS 1562.1 Design and installation of sheet roof and wall cladding
- N.A.S.H. Standard Residential and Low-rise Steel Framing Part 1: Design Criteria





### **The Stratco Advantage**

#### **Custom Designed • Engineered • Tested • Manufactured • Guaranteed**

- Large in-house engineering and design team to customise each project to the customer's specific needs.
- World class testing facility with a battery of testing processes to ensure the highest quality materials that consistently exceed Australian standards.
- Industry leading research and development program to drive innovation in outdoor lifestyle and building products.

Proud supplier of:





Stratco sheds are clad with **COLORBOND® steel** and you can make colour selections from the list below. When reviewing quotes and specifications, you will see the Stratco name or code appear. If you require clarification please speak with the team.

COLORBOND® Steel Colour*		Strat	co Code & Colour Name		SA
-	Dover White	so	Snowdrift™	:X:	0.28
SF	Surfmist	ow	Off White	:Ö:	0.33
СС	Classic Cream	CR	Smooth Cream	:Ö:	0.33
PK	Paperbark	ME	Merino	:Ö:	0.43
DU	Dune	ВІ	Birch	:ÿ:	0.48
GJ	Gully	DD	Driftwood	:X:	0.64
JA	Jasper	BW	Banyan Brown®	:X:	0.67
ЕН	Evening Haze	MV	Moss Vale Sand	:Ö:	0.43
PE	Pale Eucalypt	MG	Mist Green	:ŏ:	0.60
CG	Cottage Green	CF	Caulfield Green	:Ö:	0.73
MR	Manor Red	HR	Heritage Red	:ÿ:	0.70
-	Southerly	LG	Lunar Grey™	:)(:	0.40
SH	Shale Grey	GG	Gull Grey	:Ö:	0.44
-	Bluegum	ос	Overcast™	:ŏ:	0.57
WS	Windspray	AG	Armour Grey	ij	0.60
WY	Wallaby	СВ	Cobblestone®	:Ö:	0.64
ВЈ	Basalt	GN	Granite®	:X:	0.67
IR	Ironstone	DA	Dark Stone™	:ÿ:	0.73
DE	Deep Ocean	МВ	Mountain Blue	:00:	0.74
WG	Woodland Grey	SG	Slate Grey	:ŏ:	0.70
ММ	Monument	GU	Gun Metal Grey	ij	0.73
NY	Night Sky	EB	Ebony	:Ö:	0.95
_	Zincalume	AZ	Zinc/Al	:X:	_

The COLORBOND® steel colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colours against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process, screens and devices may affect colour tones. COLORBOND®, BlueScope, the BlueScope brand mark and @ colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited. BN 16 000 011 058. All rights reserved. Accurate colour samples are available in-store from Stratco. Please see the Stratco website for store location details.

Solar Absorptance (SA) is a measure of how much of the sun's heat that a material absorbs. Choosing a colour with a lower SA is a cooler option and may help you meet building regulations such as NCC or BASIX. These are nominal values based on new product and measured in accordance with ASTM E 903-96. Colour coatings come in different grades for different environments and not all colours are available in every grade. Your Stratco design consultant will assist you with the grade and colour availability for your area and your product. Seafront and industrial areas may require a severe environmental coating.





**«** SCAN THIS QR CODE TO FIND A STRATCO NEAR YOU

1300 155 155 stratco.com.au

All brands and logos/images accompanied by ® or ™ are trade marks of Stratco (Australia) Pty Limited. ® Copyright September 2025



MAINTENANCE Regular maintenance is essential to maintain the good looks of all Stratco steet products and to ensure you receive the maximum life-span possible in your area. Washing with clean water must be frequent enough to prevent the accumulation of dust, salts, and pollutants or any other material that will reduce the life of the product. Stratco steel products that are regularly washed by rain require no additional maintenance. No material that retains water (such as dirt or paving sand) should be placed against wall flashings and wall sheeting. Care must be taken when determining the location of Stratco steel products so that they are not placed in close contact with sources of pollution or environmental factors that could affect the life of the steel. Produced from the highest quality materials, you can expect many years of service from your Stratco Shed if the recommendations in the 'Selection Use and Maintenance' and 'Severe Environment Considerations Brochure' are followed.